




We reach for the sky.

YOUR WAY
— TO THE —
TOP
REALISE THE POTENTIAL



Crawler Crane

www.boecker-group.com



- Radio remote control with a colour display
- Crawler chassis with 2 speeds: creep mode 2.4 km/h and fast mode 4.5 km/h
- Multiflex outrigger system with auto-levelling
- Diesel and/or electric drive



The Böcker Crane RK 36 / 2400 on crawler chassis


The compact crawler chassis of the RK 36 / 2400 crane ensures a particularly safe traction and grip as well as an equal pressure distribution on any ground. This feature allows working on gravel, sand or wet and soft lawn areas with payloads of up to 2,400 kilograms without any problem.

Thanks to a powerful Diesel engine the crane on crawler chassis has got sufficient power reserves in any situation. It can be equipped with an additional electric motor with the same performance data as the Diesel engine to enable it to work with a low noise level and emission-free, e.g. in closed spaces.

It can be used as a crane and as well as an access platform. The transformation from crane to platform mode takes very short time thanks to the EASY-LOCK system.



Duty chart



Technical specifications

Extension length max. [m]	34.00 (36.00 opt.)
Payload max. [kg]	1,500 (2,400 opt.)
Gross vehicle weight [kg]	4,500
Main boom angle approx. [degrees]	85
Jib length [m]	11.05
Jib extended incl. extension [m]	13.05
Jib retracted [m]	4.85
Jib variable/hydraulic [degrees]	0 – 165
Lifting speed approx. [m/min]	60
Footprint with outriggers on both sides (L x W) [m]	5.40 x 5.40
Footprint with outriggers on one side (L x W) [m]	7.20 x 3.60
Vehicle dimensions (L x B x H) [m]	8.44 x 2.11 x 2.82

**Böcker – made in
GERMANY**



**DENSEST
SERVICE-NETWORK
IN EUROPE**

Böcker Belgium NV

Boomsesteenweg 101 · B-2630 Aartselaar
Fon +32 (0) 3 / 45 76 241
Fax +32 (0) 3 / 45 76 242
Mail belgium@boecker-group.com

Böcker France SAS

Zac du TEC · F-30320 Marguerittes
Fon +33 (0) 4 6620 9364
Fax +33 (0) 4 6620 9926
Mail france@boecker-group.com

Böcker Italia srl

Corso Porta Nuova 11 · I-37122 Verona (VR)
Fon +39 045 / 87 80 399
Fax +39 045 / 87 80 420
Mail italia@boecker-group.com

Böcker Nederland B.V.

De Geerden 22 · NL-5334 LE Velddriel
Fon +31 (0) 418 / 571 444
Fax +31 (0) 418 / 635 222
Mail nederland@boecker-group.com

Böcker Schweiz AG

Striegelstraße 1 · CH-4665 Oftringen
Fon +41 (0) 62 / 797 62 62
Fax +41 (0) 62 / 797 62 68
Mail schweiz@boecker-group.com

Branch office north

Farmers Ring 8 · D-25337 Koelln-Reisiek
Fon +49 (0) 4121 / 57 10 00
Fax +49 (0) 4121 / 57 10 01
Mail nl nord@boecker-group.com

Branch office east

Freiheit 20–21 · D-13597 Berlin-Spandau
Fon +49 (0) 30 / 3 39 39 04-0
Fax +49 (0) 30 / 3 39 39 04-29
Mail nl east@boecker-group.com

Branch office middle

Kasseler Str. 62 · D-34277 Fuldabrück
Fon +49 (0) 561 / 5 85 46 73
Fax +49 (0) 561 / 5 85 46 74
Mail nl mitte@boecker-group.com

Branch office south-west

Bussardstr. 16 · D-68753 Waghäusel
Fon +49 (0) 72 54 / 9 58 85-0
Fax +49 (0) 72 54 / 9 58 85-29
Mail nlsuedwest@boecker-group.com

Branch office south

Kirchweg 4 · D-82239 Alling
Fon +49 (0) 81 41 / 888 601
Fax +49 (0) 81 41 / 53 72 707
Mail nlsued@boecker-group.com



We reach for the sky.

Böcker Maschinenwerke GmbH
Lippestraße 69–73 · D-59368 Werne
Fon +49 (0) 23 89 / 79 89-0
Fax +49 (0) 23 89 / 79 89-9000
Mail info@boecker-group.com