

Truck Crane

www.citylifting.co.uk



Speed and efficiency – these are the main characteristics of smallest Böcker truck-mounted crane. Despite its compact and extremely light design, the AK 35/3000 still impresses by strong performance.

With an extension length of 35 m and a working range up to 26.6 m, this crane reaches impressive working radiuses. The fly jib is mechanically extendible up to 11.2 m so that the working area can be optimally used.

Using the AK 35/3000 you also benefit from the well-proven advantages of Böcker crane technology, e.g. the sensitive telescopic functions when working with flat boom angle and the minimum slew radius. Speed and efficiency – these are the main characteristics of smallest Böcker truck-mounted crane. Despite its

compact and extremely light design, the AK 35/3000 still impresses by strong performance. With an extension length of 35 m and a working range up to 26.6 m, this crane reaches impressive working radiuses.


The fly jib is mechanically extendible up to 11.2 m so that the working area can be optimally used. Using the AK 35/3000 you also benefit from the well-proven advantages of Böcker crane technology, e.g. the sensitive telescopic functions when working with flat boom angle and the minimum slew radius.

Permissible gross vehicle weight (t)	8,6	Range for crane operation at 500 kg (m)	20,0 (22,7 / 450 kg)
Max. payload (kg)	1.500 (optional 3.000)	Range for crane operation at 1 t (m)	13,4
Max. extension length (m)	35,0	Range for crane operation at 2 t (m)	6,5
Working height up to boom (m)	23,7	Range for crane operation at 4 t (m)	-
Boom extendable (m)	5,2 / 8,3 / 11,3	Range for crane operation at 6 t (m)	-
Boom payload (kg)	1.500 / 1.000 / 700	Range for crane operation at 12 t (m)	-
Main mast angle (degrees)	85	Range for platform operation with rotatable basket (m)	21,1 at 250 kg 24,1 at 100 kg
Boom angle (degrees)	160	Range for platform operation with hooped basket (m)	22,0 at 250 kg 24,5 at 100 kg
Pivoting range (degrees)	+/- 310	Working height with rotatable basket max. (m)	32,8
Hook speed (m/min)	60	Working height with hooped basket max. (m)	33,0
Range for crane operation at 250 kg (m)	26,6		

Truck Crane

www.citylifting.co.uk

Working range crane operation




Truck Crane

www.citylifting.co.uk

Working range platform operation

All weights are in kg.
Measurements can fluctuate slightly.





Bocker AK 35/3000

City Lifting

CRANE HIRE SPECIALISTS

Truck Crane

www.citylifting.co.uk



DISCLAIMER: Product introduction sheet supplied for reference purposes please see supplied USB stick or www.citylifting.co.uk for manufacturer detailed technical specification including reduced outrigger chart options. Please contact the City Lifting Hire Team for Outrigger Loading and Spreader Mat options.