CITY LIFTER CL25

MINI FLAT TOP TOWER CRANE

The City Lifter is a Mini Tower crane with many mounting possibilities due to its low weight and overturning moment. It can be used on the front of a project to lift materials directly from the road or delivery truck into a basement area or to loading platforms or a roof area.

It can also be mounted on a roof or attached to a rising slipform. This crane has 150 metres of hook path as standard. Ideal for refurbishment projects. It can replace hoists or beam hoists and lift materials from road level. It can be a very useful crane after the main tower crane is removed towards the end of a project.



Jib Length (Meters)							ELECTRICAL	
10	0 → 6m 2500 kg	7m 2500 kg	7.5m 2500 kg	8m 2300 kg	9m 2000 kg	10m 1850 kg	Power Supply	400V 3 Phase
8	0 → 6m	2000 kg	7.5m	8m	2000 kg	1000 kg	Power Consumption	40 KVA
0	2500 kg	2500 kg	2500 kg	2500 kg			Main Fuses	32 Amp
6	0 → 6m 2500 kg							





0 - 24 m/min




0 - 1.3 rpm



100 Metres 2 layers of rope 150 Metres 3 layers of rope

CITY LIFTER CL25

MINI FLAT TOP TOWER CRANE







BALLASTED BASE ON SCREW JACKS




BOLTED DOWN BASE CROSS



SCAFFOLD GANTRY MAST TIED TO BUILDING







SELF CLIMBING THROUGH FLOORS CLIMBING OUTSIDE EDGE OF BUILDING



CUSTOM PORTAL BASE



RAIL TRAVELLING



GRILLAGE







Made in Sweden by Artic Crane AB





 Tel: 01621 742978
 Email: towers@citylifting.co.uk

 City Lifting Limited
 Pillar Box Corner, Burnham Road, Mundon, Essex CM9 6NS

Max. Capacity: 2500 kg Max. hook height: 150 m Max. radius: 10 m